

# Lab Manual Solution Guide

Lab Manual for CompTIA Network+ Guide to Networks, 9th Edition

Copyright 2023, Jill West

## Table of Contents

### Lab 1-1: Layers of Network Communication and Number Systems Used with Computing

**Estimated time: 60 minutes**

**Objective:** The goal of this lab is to learn about the levels of network communication and to practice working with binary and hexadecimal numbers used in networking. After completing this lab, you should be able to:

Obj. 1-1-1: Explain the TCP/IP protocols and standards Windows uses for networking

Obj. 1-1-2: Convert decimal numbers (base 10) to hexadecimal and binary form

Obj. 1-1-3: Convert hexadecimal numbers (base 16) to binary and decimal form

Obj. 1-1-4: Convert binary numbers (base 2) to decimal and hexadecimal form

**Materials Required:**

- A pencil and paper and/or Windows Calculator
- Windows operating system

**Lab Preparation:** Before the lab begins, the instructor or lab assistant needs to do the following:


- Verify Windows works with no error

### Activity Background

In this lab, you'll lay a foundation for understanding the basic principles of networking. Communication between two computers on a local network or the Internet involves three steps, as follows:

1. One computer must find the computer it wants to communicate with.
2. Both computers must agree on the rules for communication, which are called protocols.
3. One computer takes on the role of making requests from the other computer.

The computer making the requests is called the client, and the one answering the requests is called the server. Most communication between computers on a network or the Internet uses this client-server model. For example, in Figure 1, a person uses a web browser on a client to request a web page from a web server. To handle this request, the client computer must first find the web server, the two computers must establish the protocols for communication, and then the request is made and answered. Hardware, the OS, and the applications on both computers are all involved in this process.



**Figure 1: A web browser (client application) requests a web page from a web server (server application); the web server returns the requested data to the client**

As you work with hardware, the OS, and applications, you see that technical information is often displayed on a computer using the binary and hex (hexadecimal) number systems, which, while useful to the computer, are difficult for humans to read and understand. For example, a network interface on a computer is assigned an IP address, which might be displayed by the computer in decimal and often needs to be converted to binary.


You'll begin this lab by looking at the layers of communication that involve hardware, the OS, and applications. Then you'll see how the binary and hexadecimal number systems work and how to convert numbers from one number system to another.

## Activity Part 1: Levels of Network Communication

When your computer at home is connected to your ISP (Internet Service Provider) off somewhere in the distance, your computer and a computer on the Internet must be able to communicate. When two devices communicate, they must use the same protocols so that the communication makes sense. Almost all networks today, including the Internet, use the group, or suite, of protocols called TCP/IP (Transmission Control Protocol/Internet Protocol).

You are already familiar with the seven layers of the OSI model as a way to think about network communication. In general, the top OSI layers are used by applications and operating systems, and the lower layers are used by hardware. Without getting into the complexity of the seven OSI layers, let's see how network communication happens at three levels: application, OS, and hardware.

In Figure 2, you can see how communication starts with an application (browser) passing a request to the OS, which passes the request to the network card, and then onto the network. When the request reaches the network card on the server, the network card passes it on to the OS, and then the OS passes it on to the application (the web server).



**Figure 2: Network communication happens in layers**


The following list describes the three levels of communication:

**Level 1: Hardware**—At the root level of communication is hardware. The hardware or physical connection might be wireless or might use network cables, phone lines (for DSL or dial-up), or TV cable lines (for a cable modem). For local wired or wireless networks, a network adapter (also called a network card, a network interface card, or a NIC) inside your computer is part of this physical network. Every network adapter—including a network card, network port on a motherboard, onboard wireless, or wireless NIC—has a 48-bit (6-byte) number hard-coded on the card by its manufacturer that is unique for that device (see Figure 3). The number is written in hexadecimal and is called the MAC (Media Access Control) address, hardware address, physical address, adapter address, or Ethernet address. Part of the MAC address identifies the manufacturer that is responsible for making sure that no two network adapters have the same MAC address. MAC addresses are used to locate a computer on a LAN (local area network). A LAN is a network bound by routers or other gateway devices. A router is a device that manages traffic between two or more networks and can help find the best path for traffic to get from one network to another. A gateway is any device or computer that network traffic can use to leave one network and go to a different network.




**Figure 3: This Gigabit Ethernet adapter by Intel uses a PCIe x1 slot**

**Level 2: Operating system**—Operating systems use IP addresses to find other computers on a network. An IP address is a 32-bit or 128-bit string that is assigned to a network connection when the connection is first made. Whereas a MAC address is only used to find a computer on a local network, an IP address can be used to find a computer anywhere on the Internet (see Figure 4) or on an intranet. An intranet is any private network that uses TCP/IP protocols. A large enterprise might support an intranet that is made up of several LANs. A LAN can be further divided into smaller networks, and each of these smaller networks is called a subnetwork or subnet. IP addresses are used to find computers on subnets, an intranet, or the Internet.




**Figure 4: Computers on the same LAN use MAC addresses to communicate, but computers on different LANs use IP addresses to communicate over the Internet**

**Level 3: Application**—Most applications used on the Internet or a LAN are client-server applications. Client applications, such as Edge, Internet Explorer, Google Chrome, or Outlook, communicate with server applications such as a web server or email server. Each client and server application installed on a computer listens at a predetermined address that uniquely identifies the application on the computer. This address is a number called a port number, port, or port address. For example, you can address a web server by typing into a browser address box an IP address followed by a colon and then 443, which is the port number for a secure web server application. Suppose a computer with an IP address of 138.60.30.5 is running both an email server, which listens at secure port 587, and a web server application listening at secure port 443. If a client computer sends a request to 138.60.30.5:587, the email server that is listening at that port responds. On the other hand, if a request is sent to 138.60.30.5:443, the web server listening at port 443 responds (see Figure 5).



**Figure 5: Each server running on a computer is addressed by a unique port number**

Figure 6 shows how communication moves from a browser to the OS to the hardware on one computer and on to the hardware, OS, and web server on a remote computer. As you connect a computer to a network, keep in mind that the connection must work at all three levels. And when things don't work right, it helps to understand that you must solve the problem at one or more levels. In other words, the physical equipment, the OS, or the application might be the source of the problem, or more than one of these might be involved.



**Figure 6: How a message gets from a browser to a web server using three levels of communication**

Before a message is transmitted on a network, if it is too long, it's broken up into segments. Also, header and trailer information is added, including the IP addresses of the source computer and destination computer, the application's port number, and the protocols for communication the message uses on the network. When this information is added, the message is called a segment, datagram, packet, or frame depending on what information has been added to the header and trailer and which layer of communication added the information.

Now that you have a general understanding of how networking works, you're ready to study the details of the numbering systems they use.

## Activity Part 2: Understand the Binary and Hexadecimal Number Systems

All numbers stored in a computer or networking device, such as a router, are stored as a series of 0s and 1s, which make up the binary number system. Here are a few important definitions to know when working with numbers in computers:

- **Bit**—A numeral in the binary number system (called base 2), which is based on two values: 0 or 1.
- **Byte**—8 bits
- **Hex**—Short for hexadecimal, which is a base 16 number system that is based on 16 values (called base 16): 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, A, B, C, D, E, and F.

Before displaying a value, computers often convert binary data into the hexadecimal (hex) number system because it is much less complex than converting data into decimal numbers, and it is much easier for human beings to read hex numbers than to read binary numbers. This way, even though the actual processing and inner workings of computers use the binary system, they often display information using the hex system.


### Learning to "Think in Hex"

One skill a knowledgeable computer support person must have is the ability to read hex numbers and convert hex to decimal and decimal to hex. Once you understand one numbering system (decimal), you can understand any numbering system (including binary and hexadecimal), because they all operate on the same basic principle: place value. So let's begin there.

### Place Value


A key to understanding place value is to think of a number system as a method of grouping multiple small units together until there are enough of them to be packed into a single larger group, then grouping multiple larger groups together until there are enough of them to form an even larger group, and so on. In the decimal number system you're already familiar with, once there are 10 units of any group, that group becomes a single unit of the next larger group. So groups of 10 units are packed into groups of tens; groups of 10 tens are packed into groups of hundreds; groups of 10 hundreds are packed into groups of thousands, and so forth.

An easy way to understand number systems is to think of the numbers as being packaged for shipping into boxes, cartons, crates, truckloads, and so on. For the decimal numbering system, imagine you are packing widgets (units) into boxes (tens), which are packed into cartons (100s), which are packed into crates (1000s), and so forth. The same analogy works for binary, hexadecimal, and all other number systems. Suppose your friend Rafael, in Figure 7, is a widget packer in the shipping department of the ACE Widget Co. Rafael can ship single widgets, or he can pack them in boxes, cartons, crates, and truckloads. He can fit three, and only three, widgets to a box; three boxes into one carton ( $3 \times 3 = 9$  widgets); three cartons into one crate ( $3 \times 9 = 27$  widgets); and three crates into one truck ( $3 \times 27 = 81$  widgets). He is not allowed to pack more widgets into boxes, cartons, crates, or truckloads than those specified. Neither is he allowed to send out a box, carton, crate, or truckload that is not completely filled.



**Figure 7: Rafael in the shipping department groups widgets in singles, boxes, cartons, crates, and truckloads all in groups of three**

Rafael receives an order to ship out 197 widgets. How does he ship them? The answer is shown in Figure 8. Rafael sends out 197 widgets grouped into two truckloads ( $2 \times 81 = 162$  widgets), one crate (27 widgets), no cartons, two boxes ( $2 \times 3 = 6$  widgets), and two single widgets. You can write this grouping of widgets as 21022, where the “place values” from left to right are truckloads, crates, cartons, boxes, and units.



**Figure 8: Rafael's shipment of 197 widgets: 2 truckloads, 1 crate, 0 cartons, 2 boxes, and a group of 2 singles**

In this case, that number could also be written in decimal as 162 widgets, 27 widgets, 0 widgets, 6 widgets, and 2 widgets. Notice that each “place value” in the widget-packing system is a multiple of 3 because the widgets are grouped into threes before they are packed into boxes; the boxes are grouped into threes before they are packed into cartons; and so on. By grouping the widgets into groups of threes in this manner, you convert the decimal number (base 10) 197 into the ternary number (base 3) 21022. Rafael's widget-packing method is a base 3, or ternary, system. The numerals in the ternary number system are 0, 1, and 2. When you get to the next value after 2, instead

of counting on up to 3, you move one place value to the left and begin again with 1 in that position, which represents 3. So, counting in base 3 goes like this:

0, 1, 2, 10, 11, 12, 20, 21, 22, 100, 101, and so on

This is the same as Rafael's system, never shipping out three of any one group unless they are packed together into one larger group. For example, Rafael wouldn't ship three individual boxes, he would ship one carton.

You can easily apply the widget-packing analogy to another base. If Rafael used 10 instead of three, he would be using base 10 (decimal) rules. While numbering systems differ by the numbers of units they group together, they all use the concept of place value to group smaller numbers into larger numbers.

## *Binary and Hex Number Systems*

The binary number system groups by two, and the hex number system groups by 16. You read earlier that it's easier for computers to convert from binary to hex or from hex to binary than to convert between binary and decimal. Let's see just how this works. The largest 4-bit number in binary is 1111. To calculate this number in decimal and hex, count the number groups of 2s and any leftover singles, as follows:

Binary 1111 yields...

1 group of 8 = 8 in decimal

1 group of 4 = 4 in decimal

1 group of 2 = 2 in decimal

1 single = 1 in decimal

TOTAL = 15 in decimal

Therefore, 1111 (binary) = 15 (decimal) = F (hex)

This last calculation is very important when working with computers: F is the largest numeral in the hex number system, and it takes exactly four binary bits to write this largest hex numeral:

F (hex) = 1111 (binary)

Interestingly, every hex numeral (0, 1, 2, 3, 4, 5, 6, 7, 8, 9, A, B, C, D, E, and F) can be converted into a 4-bit binary number. When converting from hex to binary, take each hex numeral and convert it to a 4-bit binary number, and then string all the 4-bit groups together. Fortunately, when working with computers, you will almost never work with more than two hex numerals at a time. Here are some examples:

1. To convert hex F8 to binary, do the following:

F = 1111 and 8 = 1000

Therefore, F8 = 11111000 (usually written 1111 1000).

2. To convert hex 9A to binary, do the following:

9 = 1001 and A = 1010

Therefore, 9A = 1001 1010.

Now try converting from binary to hex:

3. To convert binary 101110 to hex, first group the bits in groups of four bits, starting at the right and moving left, adding leading zeros as necessary: 0010 1110.
4. Then convert each group of four bits in binary to a single hex numeral:

0010 = 2 and 1110 = E



The hex number is 2E.

### Activity Part 3: Convert Binary and Hexadecimal Numbers

Now that you understand how binary and hex number systems work, let's practice converting numbers from one number system to another:

1. Convert the following decimal numbers to binary numbers using a calculator or by manual calculations. (To access Windows Calculator in Windows 10, type **calculator** in the search box and press **Enter**.)

14 = **Answer:** 1110

77 = **Answer:** 0100 1101

128 = **Answer:** 1000 0000

223 = **Answer:** 1101 1111

255 = **Answer:** 1111 1111

2. Convert the following decimal numbers to hexadecimal notation:

13 = **Answer:** D

240 = **Answer:** F0

255 = **Answer:** FF

58880 = **Answer:** E600

65535 = **Answer:** FFFF

3. Convert the following binary numbers to hexadecimal notation:

100 = **Answer:** 4

1011 = **Answer:** B

111101 = **Answer:** 3D

1111 1000 = **Answer:** F8

1011 0011 = **Answer:** B3

0000 0001 = **Answer:** 1

4. Hexadecimal numbers are often preceded by "0x." However, when converting a hexadecimal number, do not include the "0x" in the entry on the calculator. Convert the following hexadecimal numbers to binary numbers:

0x0016 = **Answer:** 0001 0110

0x00F8 = **Answer:** 1111 1000

0x00B2B = **Answer:** 1011 0010 1011

0x005A = **Answer:** 0101 1010

0x1234 = **Answer:** 0001 0010 0011 0100

5. Convert the following hexadecimal numbers to decimal:

0x0013 = **Answer:** 19

0x00AB = **Answer:** 171

0x01CE = **Answer:** 462

0x812A = **Answer:** 33,066

6. Convert the following binary numbers to decimal:

1011 = **Answer:** 11

0001 1011 = **Answer:** 27

1010 1010 = **Answer:** 170

0001 1111 0100 = **Answer:** 500

0101 1101 1101 = **Answer:** 1,501

0011 1110 0000 1111 = **Answer:** 15,887

A network card, also called a network adapter or NIC, is assigned a MAC address (or physical address) at the factory. Each time a network connection is created, Windows assigns to the connection these values:

An IPv4 (IP version 4) address that contains 32 bits written as four groups of eight bits; each group is called an octet.

A subnet mask, which is 32 bits used to determine whether a remote computer is on the same subnet or a different subnet. The 32 bits are written as four groups of eight bits each.

If IPv6 (IP version 6) is enabled, Windows assigns an IPv6 address that contains 128 bits. The bits are written as eight blocks of 16 bits each, separated by colons. Two colons together indicate the block(s) between the colons are all zeroes.

In the following steps, you'll find these assigned values for your computer and then convert them to binary numbers:

7. Open a PowerShell or Command Prompt window and enter **ipconfig /all**.
8. Write down the following information for your system's active network connection (most likely either Ethernet or Wi-Fi):
  - Physical address in paired hexadecimal form:

**Answer:** Answers may vary and should be listed in hexadecimal form. One example is 40-16-7E-6D-3D-D4

- Physical address expressed in binary octets:

**Answer:** Answers may vary and should be listed in binary octets. One example is 01000000-00010110-01111110-01101101-00111101-11010100

- IPv4 address in decimal form:

**Answer:** Answers may vary and should be listed in decimal. One example is 192.168.2.120

- IPv4 address expressed as four octets in binary form:

**Answer:** Answers may vary and should be listed in binary octets. One example is 11000000.10101000.00000010.01111000

- Subnet mask in decimal form:

**Answer:** Answers may vary and should be listed in decimal. One example is 255.255.255.0

- Subnet mask expressed as four octets in binary form:

**Answer:** Answers may vary and should be listed in binary octets. One example is 11111111.11111111.11111111.00000000

- IPv6 address in hex form:

**Answer:** Answers may vary and should be listed in hexadecimal. One example is FE80::2880:4A7:9F87:279

- IPv6 address expressed as eight blocks of binary octets:

**Answer:** Answers may vary and should be listed in binary octets. One example is 11111110 10000000:00101000 10000000:00000100 10100111:10011111 10000111:00000010 01111001

### Solution Manual Files

Name	Size	Packed	Type
..			File folder
CoreBookSolutionFiles	3,539,304	3,430,864	File folder
Corrected 9e IM Files	3,102,094	3,019,414	File folder
LabManualSolutionFiles	9,036,934	8,971,804	File folder
Packet Tracer Files	128,777	128,807	File folder
Packet Tracer LM solutions	212,071	212,116	File folder
Packet Tracer text solutions	1,031,289	1,031,499	File folder
0357508130_662192_Live Virtual Machine Labs Solution Files.pdf	4,742,918	4,180,528	Adobe Acrobat Docum...
Module Mapping to LVMLs and Simulations.xlsx	21,329	16,564	Microsoft Office Excel ...

# Solution and Answer Guide

Jill West, CompTIA Network+ Guide to Networks, 9th Edition, ISBN: 9780357508138; Module 1:  
 Introduction to Networking

## Table of Contents

<b>Text</b> .....	<b>1</b>
Applying Concepts.....	1
Activity 1-1: Explore Network Operating Systems .....	1
Activity 1-2: Troubleshoot a Failed Network Connection .....	2
Review Questions.....	3
Hands-On Projects.....	8
Project 1-1: IT and Networking Certifications .....	8
Project 1-2: Explore Network Types on a Smartphone .....	10
Project 1-3: Create a Password Manager.....	11
Project 1-4: Apply Troubleshooting Methodology .....	13
Capstone Projects.....	14
Capstone Project 1-1: Set Up a Windows Virtual Machine Using Hyper-V .....	15
Capstone Project 1-2: Set Up a Windows Virtual Machine Using Oracle VirtualBox.....	18
<b>MindTap</b> .....	<b>21</b>
Reflection Discussion 1: Communication Layers .....	21
Networking for Life Discussion 1: CompTIA Resources .....	21
Rubric for Hands-on Projects and Capstone Projects .....	22
Rubric for Discussion Assignments .....	23

## Text

### Applying Concepts

#### Activity 1-1: Explore Network Operating Systems

It's easier to understand what a network operating system is if you've seen one or two in action. For each of the NOSs listed previously (Windows Server 2019, Ubuntu Server, and Red Hat Enterprise Linux), use your favorite search engine to complete the following steps:

1. Search for information about the NOS and write down a short description based on your findings. Include a few features and advantages and identify who develops and publishes each NOS.

**Answer:** Responses should include a basic description of Windows Server 2019, Ubuntu Server, and Red Hat Enterprise Linux that covers some or all of the following points: a few main features of each OS, the OS publisher, and advantages offered by that OS.

2. Search for images of screenshots for the NOS. What are some major elements that you notice on these screens? How are these NOSs managed?

**Answer:** Responses should note whether the NOS offers GUI or CLI controls and should include a description of tools or information shown on the screenshots of Windows Server 2019, Ubuntu Server, and Red Hat Enterprise Linux.

3. Find one or two introductory videos for each NOS and watch the videos. What are some similarities between each NOS? What are some of the differences?

**Answer:** Responses should show evidence of having viewed at least one video for each NOS and should include two to three similarities and two to three differences comparing Windows Server 2019, Ubuntu Server, and Red Hat Enterprise Linux.

## Activity 1-2: Troubleshoot a Failed Network Connection

**This is a step-by-step activity. It does not require any solutions.**

Suppose your computer cannot connect to the Internet. Here's a simple process for troubleshooting this problem that demonstrates all seven steps in the troubleshooting model. This is a step-by-step activity. It does not require any solutions.

- Step 1:** *Identify the problem and its symptoms*—You open your browser on your desktop computer, discover you can't reach any website, and you see an error message on the browser screen. You open File Explorer and find that you can't navigate to resources normally available on your local network. You check with coworkers nearby, who say they're not having problems.
- Step 2:** *Establish a theory of probable cause*—Because a network technician was working near your desk when you left the evening before, you suspect your network cable might have been left unplugged. In the OSI model, you've started at the bottom layer by suspecting the problem is hardware related.
- Step 3:** *Test your theory to determine the cause*—You check the cable and discover it is lying on the floor, not connected to your desktop.
- Step 4:** *Establish a plan for resolving the problem*—You decide to plug in the network cable. This is a very simple resolution that does not affect other users. In other situations, your plan might involve informing coworkers of what is about to happen or possibly filing a request for formal change management.
- Step 5:** *Implement the solution or escalate the problem*—You plug in the cable.
- Step 6:** *Verify functionality and implement preventive measures*—You open your browser and find you can surf the web. You verify local network resources are available from File Explorer.

*Step 7: Document findings, actions, and outcomes*—This simple problem and solution don't require formal documentation. However, network technicians are generally expected to document troubleshooting tasks and solutions. In this case, you simply inform your coworkers that your network connection is working now.

## Review Questions

1. In the client-server model, what is the primary secure protocol used for communication between a browser and web server?
  - a. HTTPS
  - b. TLS
  - c. HTTP
  - d. SSL

**Answer:** a. HTTPS

**Explanation:** The primary protocol used by web servers and browsers (clients) is HTTP (Hypertext Transfer Protocol). When HTTP is layered on top of an encryption protocol, such as SSL (Secure Sockets Layer) or TLS (Transport Layer Security), the result is **HTTPS (HTTP Secure)**, which gives a secure transmission.

2. Which two encryption protocols might be used to provide secure transmissions for email services?
  - a. HTTP and HTTPS
  - b. SSL and TLS
  - c. FTP and SFTP
  - d. SSH and RDP

**Answer:** b. SSL and TLS

**Explanation:** The email protocols SMTP, POP3, and IMAP4 are all available over **SSL or TLS** for security. HTTP and HTTPS provide communication between web servers and browsers. FTP and SFTP support the transfer of files between two computers. SSH and RDP provide secure, encrypted remote access from one computer to another.

3. Which of the following applications could be used to run a website from a server?
- Hypertext Transfer Protocol
  - FileZilla
  - Microsoft Exchange Server
  - Nginx

**Answer:** d. Nginx

**Explanation:** **Nginx** is one of the most popular web server applications in the world. Hypertext Transfer Protocol is a protocol used to communicate between web servers and web clients. FileZilla is an FTP client application. Microsoft Exchange Server is a popular email server application.

4. As you're working to fix a problem with an application, you make multiple changes at once hoping that something will solve the issues you're having. You end up with more problems than when you started. Which step, if followed correctly, would have prevented this complication?
- Identify the problem.
  - Test the theory to determine the cause.
  - Establish a plan of action to resolve the problem and identify potential effects.
  - Document findings, actions, outcomes, and lessons learned.

**Answer:** a. Identify the problem.

**Explanation:** While **identifying the problem**, approach each problem individually and solve it before moving on to the next. By the time you reach the steps of testing the theory, establishing a plan of action, and documenting results, solving multiple problems at once is likely already causing more problems.

5. In the event of a fire, the most appropriate failure policy is a \_\_\_\_\_ policy.
- Power-off
  - Fail-close
  - Fail-open
  - Shutdown

**Answer:** c. Fail-open

**Explanation:** During a fire alert using a **fail-open** policy, all exit doors stay unlocked so that people can safely leave the building and firefighters can enter the building, even though this might

present a security risk for thieves entering the building. A fail-close policy would lock people inside the burning building. An emergency power-off switch can quickly shut down a data center's computers, although improper shutdowns are hard on computers and their data.

6. A network consists of five computers, all running Windows 10 Professional. All the computers are connected to a switch, which is connected to a router, which is connected to the Internet. Which logical networking model does the network use?
- Hub-and-spoke
  - Ring
  - Hybrid
  - Peer-to-peer

**Answer:** d. Peer-to-peer

**Explanation:** Using a **P2P (peer-to-peer) network model**, the operating system of each computer on the network is responsible for controlling access to its resources without centralized control. The computers, called nodes or hosts on the network, form a logical group of computers and users that share resources. The hub-and-spoke, ring, and hybrid models are all physical topologies, not logical topologies.

7. In Question 6, suppose one computer is upgraded from Windows 10 Professional to Windows Server 2019. Which networking model can the network now support that it could not support without the upgrade?
- Hybrid
  - Client-server
  - Hub-and-spoke
  - Peer-to-peer

**Answer:** b. Client-server

**Explanation:** In the **client-server** network model, resources can be managed by Windows Server 2019 via a centralized directory database called AD (Active Directory). The peer-to-peer network model is possible without Windows Server 2019 or any other NOS. Hybrid and hub-and-spoke models are physical topologies, not logical topologies.

8. A network consists of seven computers and a network printer, all connected directly to one switch. Which network topology does this network use?
- Client-server



- b. Mesh
- c. Hub-and-spoke
- d. Star

**Answer:** d. Star

**Explanation:** In a **star** topology, all devices connect to one central device such as a switch. In a mesh topology, each device connects to multiple other devices. In a hub-and-spoke topology, a central switch connects to multiple peripheral switches that each connect to computers in their areas. A client-server network model is a logical topology, not a physical topology.

9. You need to access customer records in a database as you're planning a marketing campaign. What language can you use to pull the records most relevant to the campaign?
- a. FTP
  - b. SQL
  - c. SMTP
  - d. TLS

**Answer:** b. SQL

**Explanation:** Many DBMSs use the programming language **SQL (Structured Query Language)** to configure and interact with the database's objects and data. FTP (File Transfer Protocol) service is a client-server application that transfers files between two computers. Email clients use SMTP (Simple Mail Transfer Protocol) to send email message to an email server, which then uses SMTP again to transfer email to the recipient's email server. TLS (Transport Layer Security) is an encryption protocol used to secure other protocols.

10. Which of the following is an application layer protocol?
- a. IP
  - b. RDP
  - c. TCP
  - d. Apache

**Answer:** b. RDP

**Explanation:** Several protocols are used at the application layer, including HTTP (Hypertext Transfer Protocol), SMTP (Simple Mail Transfer Protocol), POP3 (Post Office Protocol, version 3), IMAP4 (Internet Message Access Protocol, version 4), FTP (File Transfer Protocol), Telnet,

and **RDP (Remote Desktop Protocol)**. Application layer protocols are used by applications and system utilities. IP (Internet Protocol) is a network layer protocol. TCP (Transmission Control Protocol) is a transport layer protocol. Apache is a web server application.

11. What is the name of the domain controller database that Windows Server 2019 uses to store data about user access and resources on the network?

**Answer:** Active Directory

12. What is the fundamental distinction between a layer 2 switch and a router?

**Answer:** A layer 2 switch belongs only to its local network, and a router belongs to two or more networks.

13. What is the fundamental distinction between a node and a host?

**Answer:** A host is an endpoint device that hosts or accesses a resource on the network, and a node is any computer or device that can be addressed on the network.

14. What is the fundamental distinction between a MAN and a WAN?

**Answer:** A WAN covers a large geographical area, and a MAN covers a smaller, more defined geographical area.

15. List two protocols that function at the transport layer of the OSI model. What type of address do these protocols add to their headers, and what element does that address identify?

**Answer:** TCP (Transmission Control Protocol) and UDP (User Datagram Protocol)

**Answer:** The port addresses the receiving application.

16. At the network layer, what type of address is used to identify the receiving host?

**Answer:** IP address

17. At the data link layer, which type of network address is used to identify the receiving node?

**Answer:** Physical address, MAC address, hardware address, or data link layer address

18. A computer is unable to access the network. When you check the LED lights near the computer's network port, you discover the lights are not lit. Which layer of the OSI model are you using to troubleshoot this problem? At which two layers does the network adapter work?

**Answer:** Physical layer

**Answer:** Data link layer and physical layer

19. A user complains that their computer cannot access email, although the computer can access websites. At which layer of the OSI model should you begin troubleshooting this problem and why?

**Answer:** Application layer—Email protocols such as SMTP, POP3, and IMAP4 all function at the application layer.

20. While troubleshooting a problem, you realize the problem is caused by a complex series of issues that will affect a large number of users even to test your theory as to the cause, and that process won't even solve the problem. What should you do next in the troubleshooting process?

**Answer:** Escalate the problem

## Hands-On Projects

### Note 1-18

Websites and applications change often. While the instructions given in these projects were accurate at the time of writing, you might need to adjust the steps or options according to later changes.

### Project 1-1: IT and Networking Certifications

[A rubric that provides guidance on evaluating answers to the Hands-on Projects and Capstone project is provided [here](#).]

**Estimated time:** 20 minutes (+10 minutes for group work, if assigned)

**Objective:** Explain basic corporate and datacenter network architecture. (Obj. 1.7)

**Group work:** This project includes enhancements when assigned as a group project.

#### Resources:

- Internet access

#### Context:

This course prepares you to take the CompTIA Network+ N10-008 exam, which is considered a fundamental benchmark toward a career in IT. Many other IT certifications will also promote success in your IT and networking career. Use the web to research and answer the following questions:

4. Which certification does CompTIA recommend a candidate for the CompTIA Network+ certification to already have before taking this exam? Include the web address of your authoritative source along with your answer.

**Answer:** CompTIA A+ certification. Authoritative source:  
<https://www.comptia.org/certifications/network>

5. How long does CompTIA recommend you work in networking before you take the CompTIA Network+ exam? Include the web address of your authoritative source along with your answer.

**Answer:** At least nine to 12 months of work experience. Authoritative source:  
<https://www.comptia.org/certifications/network>

6. Cisco offers a full range of certifications focused on all aspects of networking. How long does Cisco recommend you work in networking before you take the most current CCNA exam for certification? Include the web address of your authoritative source along with your answer.

**Answer:** One or more years of experience implementing and administering Cisco solutions. Authoritative source: <https://www.cisco.com/c/en/us/training-events/training-certifications/certifications/associate/ccna.html#~webinars>

7. Microsoft network-related certifications have shifted focus toward their cloud-based Azure platform. The entry-level Azure certification is called Azure Fundamentals. Which technology concepts should Azure Fundamentals certification candidates be familiar with before taking the exam? Include the web address of your authoritative source along with your answer.

**Answer:** Concepts of networking, storage, compute, application support, and application development. Authoritative source: [https://docs.microsoft.com/en-us/learn/certifications/azure-fundamentals?WT.mc\\_id=certposter\\_poster-wwl](https://docs.microsoft.com/en-us/learn/certifications/azure-fundamentals?WT.mc_id=certposter_poster-wwl)

8. AWS (Amazon Web Services) offers extensive certification options in various areas of cloud computing expertise. The entry-level AWS exam is the Cloud Practitioner certification. How long and in what roles does AWS recommend you work with the AWS cloud before you take the Cloud Practitioner exam? Include the web address of your authoritative source along with your answer.

**Answer:** Six months of experience with the AWS cloud in any role, including technical, managerial, sales, purchasing, or financial. Authoritative source:  
<https://aws.amazon.com/certification/certified-cloud-practitioner/>

9. Search online for a job opening in IT networking in your geographical area that requires or recommends a degree, specific IT skills, and at least one IT certification. **Take a screenshot** of the job description and requirements; submit this visual with your answers to this project's questions. (Excellent sites that post IT jobs are Indeed.com and Monster.com.)

**Answer:** Screenshot should show a job listing that includes details of required and recommended qualifications, including at least one IT certification.

10. Answer the following questions about the job listed:

- a. Which degrees are required or recommended?
- b. What types of skills are required or recommended?
- c. What work experience is required or recommended?
- d. Which IT certifications are required or recommended?
- e. What is the advertised salary range?

**Answer:** Answers may vary widely and should include required degrees for the job, required and recommended skills, required or recommended work experience, at least one required or recommended IT certification, and advertised salary range.

11. **For group assignments:** Each member of the group should research online for practice questions for one of the IT certifications discussed in this project. Group members should compare their sources to ensure no one uses the same source as someone else. Each group member quizzes the other group members with the practice questions and tallies their performance. Each group member then lists which exam objectives the group collectively demonstrates sufficient knowledge as required by each objective covered by that exam. Submit the name of the exam, the source of the practice questions, a brief summary of the group's performance on the practice questions, and the list of exam objectives currently mastered by the group collectively.

**Answer:** Each group member submits the name of a networking or cloud certification exam (CompTIA Network+, Cisco CCNA, Azure Fundamentals, or AWS Cloud Practitioner), the source of practice questions, and a list—which is likely to be very short—of which exam objectives the group collectively demonstrates sufficient knowledge as required by each objective.

## Project 1-2: Explore Network Types on a Smartphone

[A rubric that provides guidance on evaluating answers to the Hands-on Projects and Capstone project is provided [here](#).]

**Estimated time:** 10 minutes (+10 minutes for group work, if assigned)

**Objective:** Explain the characteristics of network topologies and network types. (Obj. 1.2)

**Group work:** This project includes enhancements when assigned as a group project.

### Resources:

- Smartphone with cellular, Wi-Fi, and Bluetooth connection capabilities (you can borrow one from a classmate, friend, or family member)
- Access to a Wi-Fi network, such as at home, school, or a café
- Bluetooth device, such as earbuds, speaker, fitness tracker, vehicle

### Context:

At first, it can be a little difficult to understand the differences between PANs, LANs, and WANs. However, you most likely own a device that accesses all three of these network types: your smartphone. In this project, you'll explore the various network types your phone can connect to. Complete the following steps:

12. On the smartphone, turn on Airplane mode. Navigate to the network connections screen showing the types of connections available on the smartphone. **Take a screenshot**; submit this visual with your answers to this project's questions.

**Answer:** Screenshot should show no active network connections and Airplane mode turned on.

13. Within range of a Wi-Fi network that you have permission to connect to, turn on Wi-Fi on the smartphone and connect to the network. Using the phone's browser, navigate to *cengage.com*. Does it work? What kind of network are you using to access the web page?

**Answer:** Yes, it should work. Wi-Fi uses a LAN.

14. Turn off Wi-Fi and turn on Bluetooth. Connect to a nearby Bluetooth device. Does it work? What kind of network are you using to access the Bluetooth device?

**Answer:** Yes, it should work. Bluetooth uses a PAN.

15. Without changing any other settings, use the phone's browser to navigate to *google.com*. Does it work? Why or why not?

**Answer:** No, it does not work. The smartphone does not have Internet access through Bluetooth and has no other active network connections.

16. Turn off Bluetooth. Turn off Airplane mode and, if necessary, turn Wi-Fi and Bluetooth off again. Using the phone's browser, try again to navigate to *google.com*. Does it work? Why or why not?

**Answer:** Yes, it should work. The smartphone is using a cellular connection to access the Internet.

17. What kind of network are you using to access the Internet when Wi-Fi is turned off?

**Answer:** A cellular connection uses a WAN.

18. **For group assignments:** Select one group member to set up a mobile hotspot using their smartphone. All other group members turn on their Airplane mode. What network connection type is required to connect to the mobile hotspot?

**Answer:** Answers may vary. Most answers will list Wi-Fi or Bluetooth.

19. **For group assignments:** Each group member turns on the needed network connection for the mobile hotspot and then connects to the mobile hotspot. What network topology is the group using?

**Answer:** Star topology

## Project 1-3: Create a Password Manager

[A rubric that provides guidance on evaluating answers to the Hands-on Projects and Capstone project is provided [here](#).]

**Estimated time:** 20 minutes

**Objective:** Explain common security concepts. (Obj. 4.1)

**Resources:**

- Internet access
- (Optional) Personal cell phone capable of receiving a text message

**Context:**

Throughout this course, you will create several accounts at different websites to access tools for various projects. As you read in the module, a password manager can help you document those passwords and store them securely.

In this project, you create a LastPass account where you can store all your account information for the projects in this course. LastPass provides a free subscription option, and you can access your information from any device. If you want, you can also store account information for your other school and personal accounts in LastPass. Just remember to always keep your master password secure.

1. Go to **lastpass.com** and click **Get LastPass Free**.
2. Enter your email address and create a master password (the longer, the better—just make sure you can remember it or store it somewhere else safely because there is only one, somewhat unreliable way to recover the account if you forget the password). Confirm your master password and give yourself a reminder if it's helpful. When you're ready, click **Sign Up – It's Free**.
3. If you're working on your own computer, you can install the LastPass browser extension and log in through the extension. If you're not working on your own computer, you can navigate again to lastpass.com and log into your account through the website. Either way, click through to get to your LastPass vault. **Take a screenshot** of your empty vault; submit this visual with your answers to this project's questions. If you already have a LastPass account that you will be using for this course, be sure to obscure any private information from your screenshot. Note that no one, not even your instructor, will need access to your LastPass account for this course.

**Answer:** Screenshot should show an empty LastPass vault with a signed-in user account.

4. You can take the offered tour or explore the vault on your own. The LastPass vault is shown in Figure 1-25. Click through each menu option in the left pane. Answer the following questions:
  - a. What is the difference between saving a note and saving a password?

**Answer:** A password contains information for a website, app, or web service—something that launches within a web browser. A note contains other private information, such as contracts, legal documents, or account information that is not launched from a browser.

- b. What is the purpose of the Emergency Access tool? When might this feature become relevant to you?

**Answer:** Emergency Access allows a trusted friend or family member to access the user's vault if the user is incapacitated in some way, such as through illness, injury, or death. It's an important component of digital afterlife planning.

5. When you get to Account Settings, scroll down to SMS Account Recovery and click **Update Phone**. If you have a personal cell phone, add a phone number where you can receive a recovery text message should you forget your master password. The phone must be in your possession to complete this step. Send the test code to your phone and verify your phone in LastPass after you receive the code. Close the SMS Account Recovery tab in your browser. Close the Account Settings dialog box.

### Note 1-20

Whenever you change your phone number, be sure to update this information in LastPass right away.

6. Click the **Add Item** button, as shown in the lower right corner of Figure 1-25. Enter information for a site you visit often, such as a social media site or an email service. If you want, you can make up information for this entry and then delete it later.
7. If you added a real account for a real website, move the mouse pointer over the site's tile and click **Launch** to automatically open and sign into that site.
8. Log out of LastPass in your browser. Always remember to log out of your account before walking away from your computer. Store a copy of your master password in a very secure place, such as a lockbox in your home, a safe deposit box at a bank, or an encrypted file on your computer.

**Note 1-21**

You can download and install LastPass as an extension in your favorite browser on each computer that you own. LastPass is compatible with Chrome, Firefox, Safari, Opera, Edge, and Internet Explorer. You can also install the LastPass app on your smartphone (Android or iPhone).

## Project 1-4: Apply Troubleshooting Methodology

[A rubric that provides guidance on evaluating answers to the Hands-on Projects and Capstone project is provided [here](#).]

**Estimated time:** 20 minutes

**Objective:** Explain the network troubleshooting methodology. (Obj. 5.1)

**Group work:** This project includes enhancements when assigned as a group project.

**Resources:**

- A drawing app, such as Paint in Windows or a web app such as jspaint.app, kleki.com, or app.diagrams.net

**Context:**

Most likely at this point in your IT career, you've already encountered some challenging troubleshooting scenarios with computers, mobile devices, and perhaps even with networks. Interestingly, you probably intuitively applied some sound troubleshooting principles to the problem-solving process, and you might even have incorporated a basic understanding of networking layers as you worked through to a solution. Complete the following steps:

1. Think back to one of the more interesting scenarios you've faced, one where you were able to solve the problem. Take a few moments to write down the symptoms you encountered, the information you gathered, and the questions you asked. Try to remember the sense of confusion or concern that this unknowing created.
2. Think through what theories you developed on the possible causes of the problem as well as what attempts you made to solve the problem. Write down as many details as you can remember about how you finally discovered the solution, and how you arrived at that conclusion.
3. Look back at the troubleshooting flowchart in Figure 1-24. Using a drawing app such as Microsoft Paint in Windows or a free web app such as jspaint.app, kleki.com, or app.diagrams.net, map your problem-solving experience to the steps shown in the flowchart and include additional details



as they come to you. **Save this image** as a .png file; submit this visual with your answers to this project's questions.

**Answer:** Diagram should show a resemblance to the troubleshooting flowchart in Figure 1-24 and should indicate the progress of the troubleshooting process in the student's specific scenario.

4. What do you notice about your progression through the OSI model layers? Even without necessarily knowing what the OSI model is, did you naturally take a top-to-bottom or a bottom-to-top approach to the problem?

**Answer:** Answers will vary and should indicate whether the student notices their intuitive use of a top-to-bottom or bottom-to-top OSI layers approach to the problem as well as evidence of this pattern from the student's recall of the troubleshooting experience.

5. What theories did you test that turned out to be wrong? What information or insights did you learn from those dead ends?

**Answer:** Answers will vary and should include at least one theory that turned out to be wrong as well as information or insights gleaned from those dead ends.

6. Did you involve anyone else in the problem-solving process? If so, who was that person and how did they help?

**Answer:** Answers will vary and should indicate who, if anyone, helped with troubleshooting the problem and how that person helped.

7. What did you do to test your solution? What measures did you take to ensure the problem didn't happen again?

**Answer:** Answers will vary and should list attempts at testing solutions and measures taken to prevent future problems.

8. Considering what you've now learned about troubleshooting methodology, what could you have reasonably done differently to discover the solution more quickly?

**Answer:** Answers will vary and should explore options to handle similar problems more efficiently in the future.

9. **For group assignments:** Each member of the group should write a summary of the problem experienced in their scenario, steps taken, and outcome of the issue as if they were documenting this information in a knowledge base. Next, exchange this documentation with another member of the group. Each member then reads through the information written by their classmate and lists questions they still have about the events or information gaps that could cause problems in the future. Discuss your concerns with the author of the scenario. Submit this information and a summary of the group discussion.

**Answer:** Each group member submits their notes on a classmate's troubleshooting documentation along with a summary of the group discussion addressing any concerns raised about that documentation.

## Capstone Projects

### Note 1-22

The Capstone Projects in this course are designed to give you a “big picture” experience of networking. While the Capstones don’t always map closely to a module’s learning objectives, each Capstone adds resources and skills to your toolkit while building on Capstones you completed in earlier modules. For example, in this module, you will create at least one VM (virtual machine) in a hypervisor. In later Capstones, you will revisit this VM to complete other tasks on it. For those Capstones, you won’t start from scratch—you’ll build on resources you worked on in earlier modules. Over time, your stream of learning will build momentum so that you will accomplish complex tasks in later Capstones that you could not have completed in a single, isolated project.

Sometimes the Capstones will introduce you to concepts you haven’t yet learned much about. Don’t worry—detailed steps will guide you through each project. Then, when you study these concepts in later modules, you’ll already have some familiarity with the concepts. For example, you haven’t yet learned about virtualization in this course, and yet, you’re working with a hypervisor in this module’s Capstone Projects. By the time you get to the virtualization module, you’ll have a decent understanding of what a hypervisor is and basically how it works, and that module’s material will make a lot more sense to you.

Overall, these Capstones are intended to challenge you and also to provide a fun opportunity to apply what you’re learning over time—to link concepts from module to module. In the study of learning science, this technique is called interleaving. Take good notes as you go, think creatively about what you’re doing in each Capstone, and look for the ways each module’s Capstones connect to other modules. Enjoy!

#### Note 1-23

Websites and applications change often. While the instructions given in these projects were accurate at the time of writing, you might need to adjust the steps or options according to later changes.

## Capstone Project 1-1: Set Up a Windows Virtual Machine Using Hyper-V

[A rubric that provides guidance on evaluating answers to the Hands-on Projects and Capstone project is provided [here](#).]

**Estimated time:** 45 minutes

**Objective:** Explain the characteristics of network topologies and network types. (Obj. 1.2)

#### Resources:

- Windows 10 Pro (64-bit version) host computer
- Windows ISO file to install in a guest VM

#### Context:

In this project, you enable and use Client Hyper-V, which is software embedded in Windows 10 Professional, 64-bit version, to create and manage VMs (virtual machines) and virtual networks on a single workstation. You’ll first enable the workstation UEFI to support virtualization and enable Hyper-V. You’ll then create a VM in Hyper-V and install a Windows OS in the VM.

#### Note 1-24

If you complete this project, your instructor might not require you to complete Capstone Project 1-2, “Set Up a Windows Virtual Machine Using Oracle VirtualBox.” You’ll use one of these two hypervisors and its VMs for multiple projects throughout this course, but you won’t need both. Be sure to save any user account information or other important information in your LastPass vault for future reference.

1. For Hyper-V to work, HAV (hardware-assisted virtualization) must be enabled in UEFI setup. If you are not sure it is enabled, click **Start** and **Power**. Hold down the **Shift** key and click **Restart**. When the computer reboots, click **Troubleshoot, Advanced options**, and **UEFI Firmware settings**. The computer reboots again, this time into UEFI setup.

#### Note 1-25

Some motherboards might not show “UEFI Firmware settings” as an option on the Advanced options screen. If this is the case for you, you’ll need to do a little experimenting and troubleshooting. First, determine your motherboard manufacturer and model. To do this, continue the boot to Windows, press **Win+R**, and enter **msinfo32**, which will list the motherboard manufacturer and model on the System Summary page. Find the motherboard’s documentation online to ensure it supports UEFI. If it does, you can try entering the UEFI settings during boot by pressing the required key, such as Esc, Del, F2, F4, F8, or F12. (If you’re not sure which key to try, check your motherboard documentation or watch for a message during boot.) Before pressing the key to successfully access UEFI, you might first need to disable fast startup in the Windows Control Panel’s Power Options menu. If you have trouble with any this, be sure to do a search online for the problem you’re having and look for information to help you figure it out. Learning how to research a problem online is an important skill for any IT technician.

2. Make sure hardware-assisted virtualization (HAV) is enabled. For the system shown in Figure 1-26, that’s done on the CPU Configuration screen. Also make sure that any subcategory items under HAV are enabled. Save your changes, exit UEFI setup, and allow the system to restart to Windows.
3. Hyper-V is disabled in Windows 10 Pro by default. To enable it, right-click **Start** and click **Apps and Features**. Scroll down to Related settings and click **Programs and Features**. In the left pane, click **Turn Windows features on or off**. Check **Hyper-V** and click **OK**. When Windows finishes applying changes, click **Restart now** for the changes to take effect.
4. From the Windows Administrative Tools folder on the Start menu, launch the **Hyper-V Manager** application. In the left pane of the Hyper-V Manager, select the name of the host computer, which will be listed underneath Hyper-V Manager.
5. To make sure your VMs have access to the network or the Internet, you need to first install a virtual switch in Hyper-V. To create a new virtual network switch, click **Virtual Switch Manager** in the Actions pane.
6. In the Virtual Switch Manager dialog box, verify **New virtual network switch** is selected in the left pane. Give the switch a name, such as ProjectSwitch. To bind the virtual switch to the physical network adapter so the VMs can access the physical network, select **External** in the right pane. Then click **Create Virtual Switch**. In the next dialog box, make sure **Allow management operating system to share this network adapter** is checked and click **Apply**. In the Apply Networking Changes dialog box, click **Yes**. Your virtual LAN now has a virtual switch. Close the Virtual Switch Manager dialog box.

#### Note 1-26

Your instructor might have special instructions for the following steps. Check with your instructor before proceeding.

7. In the Actions pane, click **Quick Create**. Use these parameters for the new VM:
  - Click **Local installation source**, and then click **Change installation source**. Browse to the

location of the ISO file that contains the Windows operating system setup files made available by your instructor. Select the ISO file and click **Open**.

- Make sure Windows Secure Boot is enabled.
- Click **More options** and enter a name for your VM. When naming resources like VMs, be sure to think through what information the resource's name should provide, and think about how this name will compare to other resource names when appearing in a list together. For example, you might want to include the VM's OS in the name, such as "Windows10-64bit," or you might want to reference the project in which you created the VM, such as "CapProj1-1." What did you name your VM?

**Answer:** Answers will vary and should show evidence of some thought given to the value of the VM's name. For example, information about the VM should appear in its name, such as the VM's OS or the lab in which the VM was created.

8. After the VM is created, click **Edit** settings and answer the following questions:

- a. How much memory will the VM have?

**Answer:** Answers may vary. By default, Hyper-V allocates 2048 MB of RAM to a Windows 10 64-bit VM.

- b. How many virtual processors will the VM have?

**Answer:** Answers may vary. By default, Hyper-V allocates four virtual processors.

- c. What device will the VM boot from?

**Answer:** Unless different instructions were used, the VM should be set to boot from a DVD drive.

9. Click **Cancel**, click **Connect**, and then click **Start**. If you used an ISO file as the installation source, when you see *Press any key to boot from CD or DVD*, press the spacebar so the VM will boot from the ISO file. Figure 1-27 shows where a Windows 10 installation has begun.

### Note 1-28

If you have trouble booting to the ISO file, consider increasing the VM's available memory in the Settings menu. For example, 64-bit Windows installs more easily with 4 GB of RAM rather than the minimum 2 GB. Keep in mind, though, that any RAM dedicated to a running VM is not available to the host machine.

10. During setup, choose the following options:

- a. Check with your instructor for specific instructions on how to handle the Windows product key.
- b. When prompted, choose the **Windows 10 Home** or **Windows 10 Professional** operating system unless your instructor directs otherwise.
- c. When prompted, choose the **Custom: Install Windows only (advanced)** option.
- d. Otherwise, follow the prompts on-screen and make any adjustments to default settings only as directed by your instructor. How much space is allocated to the VM's Drive 0?

**Answer:** Answers may vary. By default, Hyper-V allocates 127 GB to Drive 0.

11. After you have installed Windows in the VM, and the VM boots into Windows, you should receive a message asking if you want to allow this computer to be discoverable by other devices on the network. Click **Yes**. Then open the Edge browser to confirm the VM has a good Internet connection. **Take a screenshot** of your desktop showing your Hyper-V Manager, your running VM, and the VM's successful connection with the Internet; submit this visual with your answers to this project's questions. When you're finished, be sure to shut down the VM properly—just like a physical machine, a virtual machine can be corrupted by improper shutdowns.

**Answer:** Screenshot should show the host computer's desktop, the VirtualBox Manager window, the VM running in a VirtualBox window, and the Edge browser open on the VM showing a web page.

## Capstone Project 1-2: Set Up a Windows Virtual Machine Using Oracle VirtualBox

[A rubric that provides guidance on evaluating answers to the Hands-on Projects and Capstone project is provided [here](#).]

**Estimated time:** 45 minutes

**Objective:** Explain the characteristics of network topologies and network types. (Obj. 1.2)

**Resources:**

- Any edition of Windows 10 installed on a computer that supports UEFI. Note that instructions for projects using VirtualBox are written for Windows 10 hosts. However, Oracle VirtualBox can also be installed on a Windows 7/8/8.1, Linux, macOS, or Solaris host.
- Windows ISO file to install in a guest VM

**Context:**

In this project, you download and install Oracle VirtualBox, which is a free hypervisor, to create VMs (virtual machines) and a virtual network on a single workstation.

**Note 1-29**

If you completed Capstone Project 1-1, "Set Up a Windows Virtual Machine Using Hyper-V," your instructor might not require you to complete this project. You'll use one of these two hypervisors and its VMs for multiple projects throughout this course, but you won't need both. Be sure to save any user account information or other important information in your LastPass vault for future reference.

1. If you are using a 64-bit host computer and want to install a 64-bit OS in the VM, HAV (hardware-assisted virtualization) must be enabled in UEFI setup. If you are not sure it is enabled, click **Start** and **Power**. Hold down the **Shift** key and click **Restart**. When the computer reboots, click **Troubleshoot, Advanced options**, and **UEFI Firmware settings**. The computer reboots again, this time into UEFI setup.

**Note 1-30**

Some motherboards might not show "UEFI Firmware settings" as an option on the Advanced options screen. If this is the case for you, you'll need to do a little experimenting and troubleshooting. First, determine your motherboard manufacturer and model. To do this, continue the boot to Windows, press

**Win+R**, and enter **msinfo32**, which will list the motherboard manufacturer and model on the System Summary page. Find the motherboard's documentation online to ensure it supports UEFI. If it does, you can try entering the UEFI settings during boot by pressing the required key, such as Esc, Del, F2, F4, F8, or F12. (If you're not sure which key to try, check your motherboard documentation or watch for a message during boot.) For this to work, you might first need to disable fast startup in the Windows Control Panel's Power Options menu. If you have trouble with any this, be sure to do a search online for the problem you're having and look for information to help you figure it out. Learning how to research a problem online is an important skill for any IT technician.

2. Make sure hardware-assisted virtualization (HAV) is enabled. For the system shown earlier in Figure 1-26, that's done on the CPU Configuration screen. Also make sure that any subcategory items under HAV are enabled. Save your changes, exit UEFI setup, and allow the system to restart to Windows.
3. Go to [www.virtualbox.org/wiki/Downloads](http://www.virtualbox.org/wiki/Downloads) and download the most current **VirtualBox platform package** for Windows hosts to your desktop or other folder on your hard drive. Install the software, accepting default settings during the installation. The Oracle VM VirtualBox Manager window opens (see Figure 1-28).

#### Note 1-31

Your instructor might have special instructions for the following steps. Check with your instructor before proceeding.

To create a virtual machine using VirtualBox, complete the following steps:

4. Click **New** in the toolbar and follow the wizard to create a VM. Give your VM a name. When naming resources like VMs, be sure to think through what information the resource's name should provide, and think about how this name will compare to other resource names when appearing in a list together. For example, you might want to include the VM's OS in the name, such as "Windows10-64bit," or you might want to reference the project in which you created the VM, such as "CapProj1-2." What did you name your VM?

**Answer:** Answers will vary and should show evidence of some thought given to the value of the VM's name. For example, information about the VM should appear in its name, such as the VM's OS or the lab in which the VM was created.

5. Select the Windows OS you will install in the VM, such as Windows 10 (64-bit). You can accept all default settings for the VM unless directed otherwise by your instructor. As you go, notice the resources allocated to the VM and answer the following questions:

- a. How much memory will the VM have?

**Answer:** Answers may vary. By default, VirtualBox allocates 2048 MB of RAM to a Windows 10 64-bit VM.

- b. What kind of file will hold the VM's virtual hard disk?

**Answer:** Answers may vary. By default, VirtualBox creates a VDI (VirtualBox Disk Image) file type.

- c. How much space will the VM's hard disk have?

**Answer:** Answers may vary. By default, VirtualBox creates a 50 GB virtual hard disk.

With the VM selected, click **Settings** in the VirtualBox Manager window. In the VM's Settings window, click **Storage** in the left pane.

In the Storage Tree area, to the right of *Controller: SATA*, click the **Adds optical drive** icon, which looks like a CD with a plus (+) symbol, as shown in Figure 1-29.

The Optical Disk Selector window appears. Click **Add**. Browse to the location of the ISO file that contains the Windows operating system setup files made available by your instructor. Select the ISO file, click **Open**, click **Choose**, and click **OK**. You will now return to the VirtualBox Manager window.

### Note 1-32

An ISO file (which has the .iso file extension) is a disc image file. It contains all the files and folders of a virtual CD or DVD merged into a single file. The file can be burned to a physical disc, or it can be mounted to a virtual device, such as a VM.

Click **Start** on the toolbar. When you see *Press any key to boot from CD or DVD*, press the spacebar so the VM will boot from the ISO file. Your VM starts up and begins the process of installing the operating system.

### Note 1-33

If you have trouble booting to the ISO file, you might need to enable EFI. To do this, go to the VM's **Settings** window and click **System**. In the Extended Features section, select the checkbox for **Enable EFI (special OSs only)**.

Also, if the VM struggles to install Windows, consider increasing the VM's available memory in the Settings menu. For example, 64-bit Windows installs more easily with 4 GB of RAM rather than the minimum 2 GB. Keep in mind, though, that any RAM dedicated to a running VM is not available to the host machine.

During setup, choose the following options:

- a. Check with your instructor for specific instructions on how to handle the Windows product key.
  - b. When prompted, choose the **Windows 10 Home** operating system unless your instructor directs otherwise.
  - c. When prompted, choose the **Custom: Install Windows only (advanced)** option.
  - d. Otherwise, follow the prompts on-screen and make any adjustments to default settings only as directed by your instructor.
11. After you have installed Windows in the VM, and the VM boots into Windows, you should receive a message asking if you want to allow this computer to be discoverable by other devices on the network. Click **Yes**. Then open the Edge browser to confirm the VM has a good Internet connection. **Take a screenshot** of your desktop showing your VirtualBox app, your running VM, and the VM's successful connection with the Internet; submit this visual with your answers to this project's questions. When you're finished, be sure to shut down the VM properly—just like a physical machine, a virtual machine can be corrupted by improper shutdowns.

**Answer:** Screenshot should show the host computer's desktop, the VirtualBox Manager window, the VM running in a VirtualBox window, and the Edge browser open on the VM showing a web page.

# MindTap

## Reflection Discussion 1: Communication Layers

In this module, you learned about a foundational organizing principle in networking: layers of communication. The OSI model and the TCP/IP model are both commonly used to guide network design, maintenance, and troubleshooting tasks.

This text gave the analogy of a letter being mailed via the post office to illustrate the nature of each layer in the OSI model. Many other analogies can be used to further describe how communications layers function in a system. What examples can you think of? Consider in what ways you notice one person, company, or other entity communicate with another person, company, or other entity indirectly through multiple layers. Then answer the following questions:

- What is a real-life example of how layers in a system indirectly connect two entities (such as a person or company) in communication?
- What layers can you identify in this system?
- How are these layers similar to the layers of the OSI model?

Go to the discussion forum in your school's LMS (learning management system). Write a post of at least 100 words discussing your thoughts about these questions. Then respond to two of your classmates' threads with posts of at least 50 words discussing their comments and ideas. Use complete sentences, and check your grammar and spelling. Try to ask open-ended questions that encourage discussion, and remember to respond to people who post on your thread.

**Answer:** Use the following rubric to evaluate answers to these discussion questions.

## Networking for Life Discussion 1: CompTIA Resources

If you've chosen a career related to IT, you're committing yourself to a career-long learning path. IT changes quickly, as you probably know, and it will be part of your responsibility as a professional to keep up with these changes as they relate to your job duties. Earning and maintaining certifications is one of the most assured ways to know you're on track with the progression of technology.

In this course, you're studying the concepts and skills required for the CompTIA Network+ exam, which is updated every three years to keep pace with the industry. In addition to these exams, CompTIA publishes blogs and other resource articles, as well as hosting webinars and conferences. Check the CompTIA website for upcoming events ([comptia.org/events](https://www.comptia.org/events)) and try to attend one or more events if possible, especially the free events offered online. Next, visit the CompTIA blog ([comptia.org/blog](https://www.comptia.org/blog)) and find a current post addressing updates in networking. Then answer the following questions:

- Which CompTIA event did you find that looks interesting? Do you plan to attend?



- What networking update did you read about? How does this information apply to your career interests?
- What other sources do you think will be helpful to you in keeping pace with the progression of technology?

Go to the discussion forum in your school's LMS (learning management system). Write a post of at least 100 words discussing your thoughts about these questions. Then respond to two of your classmates' threads with posts of at least 50 words discussing their comments and ideas. Use complete sentences and check your grammar and spelling. Try to ask open-ended questions that encourage discussion, and remember to respond to people who post on your thread.

**Answer:** Use the following rubric to evaluate answers to these discussion questions.

## Rubric for Hands-on Projects and Capstone Projects

Criteria	Beginning	Developing	Proficient	Exemplary	Score
Responses to questions	All missing or incorrect <b>[0 points]</b>	Most missing or incorrect <b>[15 points]</b>	Little missing or incorrect <b>[20 points]</b>	All complete <b>[25 points]</b>	
Other deliverables	Missing <b>[0 points]</b>	Present but missing most or all the required information <b>[15 points]</b>	Present but missing some of the required information <b>[20 points]</b>	Present and contains all the required information <b>[25 points]</b>	
Critical thinking and engagement	Student shows little to no evidence of attempting to meet the performance requirements of the assignment <b>[0 points]</b>	Student retains their existing understanding while attempting to meet the performance requirements of the assignment <b>[15 points]</b>	Student challenges their existing understanding and shows evidence of new learning <b>[20 points]</b>	Student challenges their existing understanding and displays creative and original insights <b>[25 points]</b>	
Mechanics	Grammar, spelling, punctuation, and formatting make student's message difficult to understand <b>[0 points]</b>	Grammar, spelling, punctuation, and formatting detract from student's message <b>[15 points]</b>	Grammar, spelling, punctuation, and formatting support student's message <b>[20 points]</b>	Grammar, spelling, punctuation, and formatting enhance student's message <b>[25 points]</b>	

Total	
-------	--

## Rubric for Discussion Assignments

<b>Task</b>	<b>Developing</b>	<b>Proficient</b>	<b>Exemplary</b>	<b>Score</b>
<i>Initial post</i>	Generalized statements <b>[30 points]</b>	Some specific statements with supporting evidence <b>[40 points]</b>	Self-reflective discussion with specific and thoughtful statements and supporting evidence <b>[50 points]</b>	
<i>Initial post: Mechanics</i>	<ul style="list-style-type: none"> <li>· Length &lt; 100 words</li> <li>· Several grammar and spelling errors</li> </ul> <b>[5 points]</b>	<ul style="list-style-type: none"> <li>· Length = 100 words</li> <li>· Occasional grammar and spelling errors</li> </ul> <b>[7 points]</b>	<ul style="list-style-type: none"> <li>· Length &gt; 100 words</li> <li>· Appropriate grammar and spelling</li> </ul> <b>[10 points]</b>	
<i>Response 1</i>	Brief response showing little engagement or critical thinking <b>[5 points]</b>	Detailed response with specific contributions to the discussion <b>[10 points]</b>	Thoughtful response with specific examples or details and open-ended questions that invite deeper discussion of the topic <b>[15 points]</b>	
<i>Response 2</i>	Brief response showing little engagement or critical thinking <b>[5 points]</b>	Detailed response with specific contributions to the discussion <b>[10 points]</b>	Thoughtful response with specific examples or details and open-ended questions that invite deeper discussion of the topic <b>[15 points]</b>	
<i>Both responses: Mechanics</i>	<ul style="list-style-type: none"> <li>· Length &lt; 50 words each</li> <li>· Several grammar and spelling errors</li> </ul> <b>[5 points]</b>	<ul style="list-style-type: none"> <li>· Length = 50 words each</li> <li>· Occasional grammar and spelling errors</li> </ul> <b>[7 points]</b>	<ul style="list-style-type: none"> <li>· Length &gt; 50 words each</li> <li>· Appropriate grammar and spelling</li> </ul> <b>[10 points]</b>	
<i>Total</i>				